

	Hits	Search Text	DBs
1	16	S2 and ((referenc\$4 or link\$4 or associat\$4 or relat\$4) with (component\$1 or element\$1 or feature\$1) with (logical or virtual))	US- PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	5	S3 and (container\$1)	US- PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	227	S1 and ((manag\$4 or monitor\$4) with data with ((extensible adj markup adj language) or xml))	US- PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
4	3409	((extensible adj markup adj language) or xml) and (file\$1 or document\$1) and ((structur\$4 or build\$4 or form\$4 or creat\$4 or generat\$4) with data with (object\$1 or item\$1)) and (components or elements or features) and (logical or virtual) and @ad < "20021030"	US- PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	3	((extensible adj markup adj language) or xml) and (file\$1 or document\$1) and ((structur\$4 or build\$4 or form\$4 or creat\$4 or generat\$4) with data with (object\$1 or item\$1)) and ((component\$1 or element\$1 or feature\$1 or part\$1) same (logical or virtual) same object\$1based) and @ad < "20021030"	US- PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
6	227	S8 and ((manag\$4 or monitor\$4) with data with ((extensible adj markup adj language) or xml))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	3409	((extensible adj markup adj language) or xml) and (file\$1 or document\$1) and ((structur\$4 or build\$4 or form\$4 or creat\$4 or generat\$4) with data with (object\$1 or item\$1)) and (components or elements or features) and (logical or virtual) and @ad < "20021030"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	16	S9 and ((referenc\$4 or link\$4 or associat\$4 or relat\$4) with (component\$1 or element\$1 or feature\$1) with (logical or virtual))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
9	16	S10 and (container\$1 or storage\$1 or repositor\$3 or database\$1)	US- PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB